

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| L1    | 83702 | ((382/100,232,240) or (380/51,54,201,202,203,210,252,287) or (713/176,179) or (705/57)).CCLS. or ("375") or ("283")). CLAS. | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2005/04/29 08:48 |
| L2    | 207   | 1 and (first adj watermark\$4)  | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/29 09:10 |
| L3    | 130   | 2 and (second adj watermark\$4)   | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/29 09:10 |
| L4    | 70    | 3 and coefficient\$4  | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/04/29 09:06 |

|     |    |   |  |    |    |                  |
|-----|----|---|--|----|----|------------------|
| L5  | 69 | 4 and ((insert\$5 or embed\$4) near4 (watermark\$4 or steganograph\$4)) | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN T;<br>IBM_TDB | OR | ON | 2005/04/29 09:04 |
| L7  | 24 | 5 and scrambl\$4  | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN T;<br>IBM_TDB | OR | ON | 2005/04/29 08:50 |
| L8  | 13 | 7 and (swapp\$4 or shuffl\$4 or XOR\$4)                                 | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN T;<br>IBM_TDB | OR | ON | 2005/04/29 09:04 |
| L10 | 9  | 8 and algorithm\$4  | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN T;<br>IBM_TDB | OR | ON | 2005/04/29 08:57 |
| L11 | 9  | 10 and pattern\$4   | US-PGPU B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN T;<br>IBM_TDB | OR | ON | 2005/04/29 09:05 |

|     |   |   |  |    |    |                     |
|-----|---|---|--|----|----|---------------------|
| L12 | 9 | 11 and multipl\$4   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:05 |
| L13 | 5 | 8 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>08:59 |
| L14 | 2 | 13 and (multipl\$4 near3<br>watermark\$4)                     | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>08:58 |
| L15 | 5 | 5 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:05 |
| L16 | 5 | 13 and (multipl\$4 same<br>watermark\$3)                      | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:00 |

|     |     |   |  |    |    |                     |
|-----|-----|---|--|----|----|---------------------|
| L17 | 5   | 16 and ((encrypt\$4 or<br>scrambl\$4))  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:02 |
| L18 | 1   | 17 and (block\$3 near4<br>pair)   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:09 |
| L19 | 299 | (first adj watermark\$4)  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:04 |
| L20 | 188 | 19 and (second adj<br>watermark\$4)   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:04 |
| L21 | 165 | 20 and ((insert\$5 or<br>embed\$4) near4<br>(watermark\$4 or<br>steganograph\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:16 |

|     |    |  |  |    |    |                     |
|-----|----|--|--|----|----|---------------------|
| L22 | 33 | 21 and (swapp\$4 or shuffl\$4 or XOR\$4)                 | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:13 |
| L23 | 11 | 22 and ((encrypt\$4 or scrambl\$4) near4 (algorithm\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:10 |
| L24 | 11 | 23 and multipl\$4  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |
| L25 | 10 | 24 and pattern\$4  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:05 |
| L26 | 5  | 25 and coefficient\$4                                    | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |

|     |     |  |  |    |    |                     |
|-----|-----|--|--|----|----|---------------------|
| L27 | 926 | 1 and (block\$3 near4 pair)                                    | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:03 |
| L28 | 9   | 27 and (first adj<br>watermark\$4)                             | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |
| L29 | 6   | 28 and (second adj<br>watermark\$4)                            | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |
| L30 | 1   | 29 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |
| L31 | 31  | 27 and (first near4<br>watermark\$4)                           | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:11 |

|     |    |  |  |    |    |                     |
|-----|----|--|--|----|----|---------------------|
| L32 | 23 | 31 and (second near3 watermark\$4)                             | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:22 |
| L33 | 3  | 32 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:13 |
| L34 | 2  | 33 and coefficient\$4  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:15 |
| L35 | 1  | 34 and multipl\$4  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:12 |
| L36 | 1  | 34 and (swapp\$4 or<br>shuffl\$4 or XOR\$4)                    | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:12 |



|     |     |   |  |    |    |                     |
|-----|-----|---|--|----|----|---------------------|
| L37 | 30  | 27 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4))                    | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:21 |
| L38 | 8   | 37 and (swapp\$4 or<br>shuffl\$4 or XOR\$4)                                       | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:20 |
| L39 | 205 | 27 and (swapp\$4 or<br>swap\$4 or shuffl\$4 or<br>XOR\$4)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:18 |
| L40 | 148 | 39 and coefficient\$4   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:18 |
| L41 | 37  | 40 and ((insert\$5 or<br>embed\$4) near4<br>(watermark\$4 or<br>steganograph\$4)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:17 |



|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| L42 | 37 | 41 and format   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:19 |
| L43 | 1  | 41 and (format near2<br>compliant)                        | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:21 |
| L44 | 1  | 40 and (format near2<br>compliant)                        | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:17 |
| L45 | 39 | 1 and (format near2<br>compliant)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:18 |
| L46 | 4  | 45 and (swapp\$4 or<br>swap\$4 or shuffl\$4 or<br>XOR\$4) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:18 |

|     |     |   |  |    |    |                     |
|-----|-----|---|--|----|----|---------------------|
| L47 | 3   | 46 and coefficient\$4   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:18 |
| L48 | 891 | ((swapp\$4 or shuffl\$4 or<br>XOR\$4) same<br>(coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:46 |
| L49 | 11  | 48 and (format near2<br>compliant)                              | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:21 |
| L50 | 177 | 1 and 48  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:21 |
| L51 | 5   | 50 and ((encrypt\$4 or<br>scrambl\$4) near4<br>(algorithm\$4))  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:22 |

|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| L52 | 22 | 50 and ((encrypt\$4 or<br>scrambl\$4) same<br>(algorithm\$4))           | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:22 |
| L53 | 2  | 52 and (second near3<br>watermark\$4)                                   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:22 |
| L54 | 1  | 53 and (first near3<br>watermark\$4)                                    | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:23 |
| L55 | 3  | 27 and ((swapp\$4 or<br>shuffl\$4 or XOR\$4) near3<br>(coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:47 |
| L56 | 40 | 27 and ((swapp\$4 or<br>shuffl\$4 or XOR\$4) same<br>(coefficient\$3))  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:57 |

|     |   |   |  |    |    |                     |
|-----|---|---|--|----|----|---------------------|
| L57 | 6 | 56 and shuffle\$4                             | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:57 |
| L58 | 6 | 1 and 57                                      | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:51 |
| L59 | 1 | 58 and (watermark\$4 or<br>steganograph\$4)   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:58 |
| L60 | 0 | 58 and (transform\$5 near4<br>coefficient\$4) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:52 |
| L61 | 5 | 58 and (transform\$5<br>near4 coefficient\$4) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:52 |

|     |   |                                     |  |    |    |                     |
|-----|---|-------------------------------------|--|----|----|---------------------|
| L62 | 2 | 61 and (first near5<br>sequenc\$4)  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:53 |
| L63 | 1 | 61 and (second near5<br>sequenc\$4) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:53 |
| L64 | 5 | 61 and ( sequenc\$4)                | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:53 |
| L65 | 4 | 64 and algorithm\$3                 | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:53 |
| L66 | 2 | 65 and scrambl\$4                   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:54 |

|     |       |  |  |    |    |                     |
|-----|-------|--|--|----|----|---------------------|
| L67 | 3     | 56 and (watermark\$4 or steganograph\$4)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:59 |
| L68 | 77663 | (block\$3 near\$4 pair)  | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:57 |
| L69 | 97    | 68 and ((swapp\$4 or shuffl\$4 or XOR\$4) same (coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:01 |
| L70 | 20    | 69 and shuffl\$4   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:01 |
| L71 | 1     | 70 and (watermark\$4 or steganograph\$4)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:58 |

|     |      |  |  |    |    |                     |
|-----|------|--|--|----|----|---------------------|
| L72 | 3    | 69 and (watermark\$4 or steganograph\$4)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>09:58 |
| L73 | 123  | 68 and (watermark\$4 or steganograph\$4)                         | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:00 |
| L74 | 3    | 73 and ((swapp\$4 or shuffl\$4 or XOR\$4) same (coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:00 |
| L75 | 2922 | 68 and (watermark\$4 or steganograph\$4 or hidden or hid\$4)     | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:04 |
| L76 | 39   | 75 and ((swapp\$4 or shuffl\$4 or XOR\$4) same (coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:04 |



|     |     |  |  |    |    |                     |
|-----|-----|--|--|----|----|---------------------|
| L77 | 2   | 76 and shuffl\$4   | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:05 |
| L78 | 957 | 1 and (block\$3 near4<br>pair\$4)                                      | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:03 |
| L79 | 118 | 78 and (watermark\$4 or<br>steganograph\$4 or hidden<br>or hid\$4)     | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:04 |
| L80 | 10  | 79 and ((swapp\$4 or<br>shuffl\$4 or XOR\$4) same<br>(coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:05 |
| L81 | 40  | 78 and ((swapp\$4 or<br>shuffl\$4 or XOR\$4) same<br>(coefficient\$3)) | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:05 |

|     |   |                  |  |    |    |                     |
|-----|---|------------------|--|----|----|---------------------|
| L82 | 6 | 81 and shuffl\$4 | US-PGPU<br>B;<br>USPAT;<br>USOCR;<br>EPO;<br>JPO;<br>DERWEN<br>T;<br>IBM_TDB | OR | ON | 2005/04/29<br>10:05 |
|-----|---|------------------|--|----|----|---------------------|